

*Amendments to the Claims*

Please amend the claims in accordance with the following listing.

1. (Currently amended) A computer system, comprising:  
a main unit comprising an enclosure and circuitry for sensing activity in a low-voltage power button; ~~and~~  
a first socket or plug accessible from the exterior of the enclosure and electrically coupled to the circuitry; and  
a low-voltage power button extender assembly;  
wherein the first socket or plug is adapted to removably mate with a corresponding socket or plug of either the low-voltage power button or [a] the low-voltage power button extender assembly, and wherein the low-voltage power button extender assembly comprises a first switch electrically coupled to a second socket or plug by a flexible cable, the second socket or plug adapted to removably mate with the first socket or plug.
2. (Currently amended) The computer system of claim 1:  
further comprising the low-voltage power button;  
wherein the low-voltage power button comprises a second switch integrated in fixed relationship with and electrically coupled to a ~~second~~ third socket or plug, the ~~second~~ third socket or plug adapted to removably mate with the first socket or plug.
3. (Canceled)

4. (Original) The computer system of claim 1:  
wherein the first socket or plug is located on a front surface of the enclosure.
5. (Currently amended) The computer system of claim 2:  
further comprising a light operable to indicate a current power state of the computer system;  
wherein the light is located on a housing of the second switch.
6. (Currently amended) The computer system of claim 2:  
further comprising a light operable to indicate a current power state of the computer system;  
wherein the light is integrated within the second switch.
7. (Original) The computer system of claim 5:  
wherein the light comprises a light-emitting diode.
8. (Original) The computer system of claim 6:  
wherein the light comprises a light-emitting diode.
9. (Currently amended) The computer system of claim [3] 1:  
further comprising a light operable to indicate a current power state of the computer system;  
wherein the light is located on a housing of the first switch.
10. (Currently amended) The computer system of claim [3] 1:  
further comprising a light operable to indicate a current power state of the computer system;  
wherein the light is integrated within the first switch.

11. (Original) The computer system of claim 9:  
wherein the light comprises a light-emitting diode.

12. (Original) The computer system of claim 10:  
wherein the light comprises a light-emitting diode.